

FOR IMMEDIATE RELEASE

Paul Buckley  
Denon Professional  
(401) 658 3131 x1222  
pressrelations@denonpro.com



## **NOW HEAR THIS: FOUR NEW DENON PROFESSIONAL LOUDSPEAKER MODELS ELEVATE MEETING SPACE SOUND**

*Powerful speakers enhance multimedia content, voice reproduction with adaptive flair.*

Fort Lauderdale, FL, USA – January 22, 2015. Following the introduction of their compact DN-304SAM audio monitors, Denon Professional ([denonpro.com](http://denonpro.com)), introduces four premium loudspeakers for conference rooms and meeting spaces. The announcement includes the bi-amplified two-way DN-306SA and DN-308SA, and tri-amplified three-way DN-506SA and DN-508SA. Each features studio-grade acoustics, luxurious aesthetics, and innovative proximity controls for flexible placement options.

Designed for the support of presentation material, collaborative discussions and critical multimedia playback, the 100 Watt DN-306SA and 130 Watt DN-308SA provide clear, dynamic sound reproduction to mid and small-size meeting spaces. Combining 1.25-inch silk dome tweeters with 6-inch and 8-inch Kevlar woven woofers, respectively, each offers wide-range frequency response far beyond the capabilities of in-ceiling or laptop speakers. A three-position proximity control adapts the speaker's bass response for placement next to walls—a natural inhibitor of neutral sound reproduction. Standard VESA mounting holes under each cabinet extend placement from tabletops and shelves to walls and ceilings. Balanced XLR and ¼-inch (6.3mm) inputs ensure simple connection to common audio sources.

Offering even greater power and acoustic performance, the 160 Watt DN-506SA and 220 Watt DN-508SA feature dedicated drivers for low, mid, and high frequencies. Both models utilize coaxial placement of the mid- and high-frequency driver, ensuring exceptional time and phase cohesion without taking up excess real estate. Discrete driver amplification and a custom crossover circuit yield stunning vocal reproduction—making either speaker ideal for situations requiring exceptional speech intelligibility. The DN-506SA and DN-508SA offer 6- and 8-inch Kevlar woven low frequency transducers, respectively. As with the aforementioned DN-306SA and DN-308SA, each provides proximity control switches and VESA mounting. In addition, each three-way speaker features a variable equalizer control for each driver, making custom calibrations quick and simple. Both the DN-506SA and DN-508SA feature XLR, ¼-inch, and RCA inputs.

Even more, all four speakers come with detachable metal grilles surrounded by an elegant liquid-smoke metallic trim. A custom waveguide ensures smooth, wide audio dispersion to the audience. When powered on, a blue LED assists with placement orientation.

“For engaging meetings with impact, our new 300 and 500 series speakers deliver on so many levels,” said Costa Lakoumentas, Senior VP of Denon Professional. “While their ease of placement and connection will impress the integrator, their exquisite appearance and jaw-dropping sound quality will win over even the most demanding end-user.”

**Denon Professional DN-306SA and DN-308SA Highlights (each):**

- Two-way, bi-amplified reference monitor
- Available with a 6-inch (DN-306SA) or 8-inch (DN-308SA) woofer
- Kevlar woven woofer provides tight, accurate bass response
- 1.25-inch silk dome tweeter with custom waveguide for non-fatiguing treble
- Ported, acoustically inert coated MDF enclosure
- 60+40 Watts (DN-306SA); 70+60 Watts (DN-308SA)
- Three-position proximity switch adapts bass response to various placements
- Balanced XLR and ¼-inch (6.3mm) input
- Shelf, desktop or wall (VESA) mountable
- Convenient LED light guide assists in placement
- Detachable metal grille with elegant trim accents
- Sold in single units

**Denon Professional DN-506SA and DN-508SA Highlights (each):**

- Three-way, tri-amplified reference monitor
- Available with a 6-inch (DN-506SA) or 8-inch (DN-508SA) woofer
- Dedicated 5-inch mid-range driver offers stunning vocal reproduction
- Coaxial mid+high drivers save space while preserving time and phase cohesion
- Kevlar woven woofer provides tight, accurate bass response
- 1-inch silk dome tweeter with custom waveguide for non-fatiguing treble
- Ported, acoustically inert coated MDF enclosure
- 110+30+20 Watts (DN-506SA); 150+35+35 Watts (DN-508SA)
- Three-position proximity switch adapts bass response to various placements
- +/- 6dB variable boost/cut at 100 Hz, 1 kHz, 10 kHz (with bypass switch)
- Balanced XLR and ¼-inch (6.3mm) and RCA input
- Shelf, desktop or wall (VESA) mountable
- Convenient LED light guide assists in placement
- Detachable metal grille with elegant trim accents
- Sold in single units

The DN-306SA, DN-308SA, DN-506SA, and DN-508SA will be available in Spring 2015 at a US price of \$249.99, \$299.99, \$349.99 and \$399.99, respectively. These speakers and several other new innovations from Denon Professional will be exhibited at the 2015 Winter NAMM

show, January 22-25 in Hall A, Booth 6010, at the Anaheim Convention Center in Anaheim, CA. For more information visit [www.denonpro.com/new](http://www.denonpro.com/new).

###

**About Denon Professional**

*Delivering premium solutions for the distribution, capture, and management of multimedia signal sources, Denon Professional is trusted by the most demanding users and system integrators around the world for their uniquely-engineered quality products and innovative approach. For more information visit [www.denonpro.com](http://www.denonpro.com)*

*Kevlar is a registered trademark of E.I. du Pont de Nemours and Company or its affiliates.*